

```
2024-06-07 09:11:10 WARNING: Compression for receiving enabled. Compression has l
2024-06-07 09:11:10 DEPRECATED OPTION: --cipher set to 'AES-128-CBC' but missing
2024-06-07 09:11:10 Note: '--allow-compression' is not set to 'no', disabling da
2024-06-07 09:11:10 OpenVPN 2.6.10 Windows [SSL (OpenSSL)] [LZO] [LZ4] [PKCS11]
2024-06-07 09:11:10 Windows version 10.0 (Windows 10 or greater), x86 executable
2024-06-07 09:11:10 library versions: OpenSSL 3.2.1 30 Jan 2024, LZO 2.10
2024-06-07 09:11:10 DCO version: N/A
2024-06-07 09:11:10 MANAGEMENT: TCP Socket listening on [AF_INET]127.0.0.1:25340
2024-06-07 09:11:10 Need hold release from management interface, waiting...
2024-06-07 09:11:10 MANAGEMENT: Client connected from [AF_INET]127.0.0.1:60608
2024-06-07 09:11:10 MANAGEMENT: CMD 'state on'
2024-06-07 09:11:10 MANAGEMENT: CMD 'log all on'
2024-06-07 09:11:10 MANAGEMENT: CMD 'echo all on'
2024-06-07 09:11:10 MANAGEMENT: CMD 'bytecount 5'
2024-06-07 09:11:10 MANAGEMENT: CMD 'hold off'
2024-06-07 09:11:10 MANAGEMENT: CMD 'hold release'
2024-06-07 09:11:10 MANAGEMENT: CMD 'username "Auth" asahnoun_ext'
2024-06-07 09:11:10 MANAGEMENT: CMD 'password [...]'
2024-06-07 09:11:10 TCP/UDP: Preserving recently used remote address: [AF_INET]1
2024-06-07 09:11:10 Socket Buffers: R=[65536->65536] S=[65536->65536]
2024-06-07 09:11:10 Attempting to establish TCP connection with [AF_INET]196.203
2024-06-07 09:11:10 MANAGEMENT: >STATE:1717747870,TCP_CONNECT,,,,,,
2024-06-07 09:11:10 TCP connection established with [AF_INET]196.203.216.154:844
2024-06-07 09:11:10 TCPv4_CLIENT link local: (not bound)
2024-06-07 09:11:10 TCPv4_CLIENT link remote: [AF_INET]196.203.216.154:8443
2024-06-07 09:11:10 MANAGEMENT: >STATE:1717747870,WAIT,,,,,,
2024-06-07 09:11:10 MANAGEMENT: >STATE:1717747870,AUTH,,,,,,
2024-06-07 09:11:10 TLS: Initial packet from [AF_INET]196.203.216.154:8443, sid=
2024-06-07 09:11:10 WARNING: this configuration may cache passwords in memory --
2024-06-07 09:11:10 VERIFY OK: depth=1, C=TN, ST=Tunisia, L=Tunis, O=NextStep IT
2024-06-07 09:11:10 VERIFY X509NAME OK: C=TN, ST=Tunisia, L=Tunis, O=NextStep IT
2024-06-07 09:11:10 VERIFY OK: depth=0, C=TN, ST=Tunisia, L=Tunis, O=NextStep IT
2024-06-07 09:11:10 Control Channel: TLSv1.3, cipher TLSv1.3 TLS_AES_256_GCM_SHA
2024-06-07 09:11:10 [SophosApplianceCertificate_C230762HTY6RD0A] Peer Connection
2024-06-07 09:11:10 TLS: move_session: dest=TM_ACTIVE src=TM_INITIAL reinit_src=
2024-06-07 09:11:10 TLS: tls_multi_process: initial untrusted session promoted t
2024-06-07 09:11:12 MANAGEMENT: >STATE:1717747872,GET_CONFIG,,,,,,
2024-06-07 09:11:12 SENT CONTROL [SophosApplianceCertificate_C230762HTY6RD0A]: '
2024-06-07 09:11:17 SENT CONTROL [SophosApplianceCertificate_C230762HTY6RD0A]: '
2024-06-07 09:11:17 PUSH: Received control message: 'PUSH_REPLY,route-gateway 10
2024-06-07 09:11:17 OPTIONS IMPORT: --sndbuf/--rcvbuf options modified
2024-06-07 09:11:17 Socket Buffers: R=[65536->65536] S=[65536->65536]
2024-06-07 09:11:17 OPTIONS IMPORT: --ifconfig/up options modified
2024-06-07 09:11:17 OPTIONS IMPORT: route options modified
2024-06-07 09:11:17 OPTIONS IMPORT: route-related options modified
2024-06-07 09:11:17 OPTIONS IMPORT: --ip-win32 and/or --dhcp-option options modi
2024-06-07 09:11:17 interactive service msg_channel=664
2024-06-07 09:11:17 ROUTE_GATEWAY 172.18.12.254/255.255.255.0 I=8 HWADDR=ec:b1:d'
2024-06-07 09:11:17 open_tun
2024-06-07 09:11:17 tap-windows6 device [Ethernet 3] opened
2024-06-07 09:11:17 TAP-Windows Driver Version 1.0
2024-06-07 09:11:17 Set TAP-Windows TUN subnet mode network/local/netmask = 10.8
2024-06-07 09:11:17 Notified TAP-Windows driver to set a DHCP IP/netmask of 10.8
2024-06-07 09:11:17 Successful ARP Flush on interface [12] {D7D5C77B-305B-41E5-8
2024-06-07 09:11:17 MANAGEMENT: >STATE:1717747877,ASSIGN_IP,,10.81.234.2,,,,
2024-06-07 09:11:17 IPv4 MTU set to 1500 on interface 12 using service
2024-06-07 09:11:17 Data Channel: cipher 'AES-256-GCM', peer-id: 0, compression:
2024-06-07 09:11:17 Timers: ping 45, ping-restart 180, inactive 900 7680
2024-06-07 09:11:21 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:11:21 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:25 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:11:25 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:26 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
```

```
2024-06-07 09:11:26 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:27 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:11:27 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:28 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:11:28 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:29 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:11:29 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:30 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:11:30 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:31 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:11:31 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:32 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:11:32 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:33 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:11:33 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:34 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:11:34 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:35 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:11:35 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:36 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:11:36 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:37 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:11:37 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:39 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:11:39 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:40 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:11:40 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:41 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:11:41 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:42 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:11:42 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:43 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:11:43 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:11:44 TEST ROUTES: 4/4 succeeded len=4 ret=1 a=0 u/d=up
2024-06-07 09:11:44 MANAGEMENT: >STATE:1717747904,ADD_ROUTES,,,,,
2024-06-07 09:11:44 C:\WINDOWS\system32\route.exe ADD 196.203.216.154 MASK 255.2.
2024-06-07 09:11:44 Route addition via service succeeded
2024-06-07 09:11:44 C:\WINDOWS\system32\route.exe ADD 192.168.1.94 MASK 255.255.
2024-06-07 09:11:44 Route addition via service succeeded
2024-06-07 09:11:44 C:\WINDOWS\system32\route.exe ADD 192.168.1.96 MASK 255.255.
2024-06-07 09:11:44 Route addition via service succeeded
2024-06-07 09:11:44 C:\WINDOWS\system32\route.exe ADD 196.203.216.154 MASK 255.2.
2024-06-07 09:11:44 Route addition via service failed because route exists
2024-06-07 09:11:44 Initialization Sequence Completed
2024-06-07 09:11:44 MANAGEMENT: >STATE:1717747904,CONNECTED,SUCCESS,10.81.234.2,
2024-06-07 09:12:18 C:\WINDOWS\system32\route.exe DELETE 196.203.216.154 MASK 25.
2024-06-07 09:12:18 Route deletion via service succeeded
2024-06-07 09:12:18 C:\WINDOWS\system32\route.exe DELETE 192.168.1.94 MASK 255.2.
2024-06-07 09:12:18 Route deletion via service succeeded
2024-06-07 09:12:18 C:\WINDOWS\system32\route.exe DELETE 192.168.1.96 MASK 255.2.
2024-06-07 09:12:18 Route deletion via service succeeded
2024-06-07 09:12:18 Closing TUN/TAP interface
2024-06-07 09:12:38 TAP: DHCP address released
2024-06-07 09:12:38 SIGTERM[hard,] received, process exiting
2024-06-07 09:12:38 MANAGEMENT: >STATE:1717747958,EXITING,SIGTERM,,,,,
2024-06-07 09:12:44 WARNING: Compression for receiving enabled. Compression has l
2024-06-07 09:12:44 DEPRECATED OPTION: --cipher set to 'AES-128-CBC' but missing
2024-06-07 09:12:44 Note: '--allow-compression' is not set to 'no', disabling da
2024-06-07 09:12:44 OpenVPN 2.6.10 Windows [SSL (OpenSSL)] [LZO] [LZ4] [PKCS11]
2024-06-07 09:12:44 Windows version 10.0 (Windows 10 or greater), x86 executable
2024-06-07 09:12:44 library versions: OpenSSL 3.2.1 30 Jan 2024, LZO 2.10
2024-06-07 09:12:44 DCO version: N/A
2024-06-07 09:12:44 MANAGEMENT: TCP Socket listening on [AF_INET]127.0.0.1:25340
2024-06-07 09:12:44 Need hold release from management interface, waiting...
```

```
2024-06-07 09:12:44 MANAGEMENT: Client connected from [AF_INET]127.0.0.1:55645
2024-06-07 09:12:44 MANAGEMENT: CMD 'state on'
2024-06-07 09:12:44 MANAGEMENT: CMD 'log all on'
2024-06-07 09:12:44 MANAGEMENT: CMD 'echo all on'
2024-06-07 09:12:44 MANAGEMENT: CMD 'bytecount 5'
2024-06-07 09:12:44 MANAGEMENT: CMD 'hold off'
2024-06-07 09:12:44 MANAGEMENT: CMD 'hold release'
2024-06-07 09:12:44 MANAGEMENT: CMD 'username "Auth" asahnoun_ext'
2024-06-07 09:12:44 MANAGEMENT: CMD 'password [...]'
2024-06-07 09:12:44 TCP/UDP: Preserving recently used remote address: [AF_INET]1
2024-06-07 09:12:44 Socket Buffers: R=[65536->65536] S=[65536->65536]
2024-06-07 09:12:44 Attempting to establish TCP connection with [AF_INET]196.203
2024-06-07 09:12:44 MANAGEMENT: >STATE:1717747964,TCP_CONNECT,,,,,,
2024-06-07 09:12:44 TCP connection established with [AF_INET]196.203.216.154:844
2024-06-07 09:12:44 TCPv4_CLIENT link local: (not bound)
2024-06-07 09:12:44 TCPv4_CLIENT link remote: [AF_INET]196.203.216.154:8443
2024-06-07 09:12:44 MANAGEMENT: >STATE:1717747964,WAIT,,,,,,
2024-06-07 09:12:44 MANAGEMENT: >STATE:1717747964,AUTH,,,,,,
2024-06-07 09:12:44 TLS: Initial packet from [AF_INET]196.203.216.154:8443, sid=
2024-06-07 09:12:44 WARNING: this configuration may cache passwords in memory --
2024-06-07 09:12:44 VERIFY OK: depth=1, C=TN, ST=Tunisia, L=Tunis, O=NextStep IT
2024-06-07 09:12:44 VERIFY X509NAME OK: C=TN, ST=Tunisia, L=Tunis, O=NextStep IT
2024-06-07 09:12:44 VERIFY OK: depth=0, C=TN, ST=Tunisia, L=Tunis, O=NextStep IT
2024-06-07 09:12:45 Control Channel: TLSv1.3, cipher TLSv1.3 TLS_AES_256_GCM_SHA
2024-06-07 09:12:45 [SophosApplianceCertificate_C230762HTY6RDOA] Peer Connection
2024-06-07 09:12:45 TLS: move_session: dest=TM_ACTIVE src=TM_INITIAL reinit_src=
2024-06-07 09:12:45 TLS: tls_multi_process: initial untrusted session promoted t
2024-06-07 09:12:46 MANAGEMENT: >STATE:1717747966,GET_CONFIG,,,,,,
2024-06-07 09:12:46 SENT CONTROL [SophosApplianceCertificate_C230762HTY6RDOA]: '
2024-06-07 09:12:46 PUSH: Received control message: 'PUSH_REPLY,route-gateway 10
2024-06-07 09:12:46 OPTIONS IMPORT: --sndbuf/--rcvbuf options modified
2024-06-07 09:12:46 Socket Buffers: R=[65536->65536] S=[65536->65536]
2024-06-07 09:12:46 OPTIONS IMPORT: --ifconfig/up options modified
2024-06-07 09:12:46 OPTIONS IMPORT: route options modified
2024-06-07 09:12:46 OPTIONS IMPORT: route-related options modified
2024-06-07 09:12:46 OPTIONS IMPORT: --ip-win32 and/or --dhcp-option options modi
2024-06-07 09:12:46 interactive service msg_channel=756
2024-06-07 09:12:46 ROUTE_GATEWAY 172.18.12.254/255.255.255.0 I=8 HWADDR=ec:b1:d
2024-06-07 09:12:46 open_tun
2024-06-07 09:12:46 tap-windows6 device [Ethernet 3] opened
2024-06-07 09:12:46 TAP-Windows Driver Version 1.0
2024-06-07 09:12:46 Set TAP-Windows TUN subnet mode network/local/netmask = 10.8
2024-06-07 09:12:46 Notified TAP-Windows driver to set a DHCP IP/netmask of 10.8
2024-06-07 09:12:46 Successful ARP Flush on interface [12] {D7D5C77B-305B-41E5-8.
2024-06-07 09:12:46 MANAGEMENT: >STATE:1717747966,ASSIGN_IP,,10.81.234.2,,,,
2024-06-07 09:12:46 IPv4 MTU set to 1500 on interface 12 using service
2024-06-07 09:12:46 Data Channel: cipher 'AES-256-GCM', peer-id: 0, compression:
2024-06-07 09:12:46 Timers: ping 45, ping-restart 180, inactive 900 7680
2024-06-07 09:12:50 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:12:50 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:12:54 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:12:54 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:12:55 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:12:55 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:12:56 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:12:56 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:12:57 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:12:57 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:12:59 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:12:59 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:00 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:00 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:01 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:01 Route: Waiting for TUN/TAP interface to come up...
```

```

2024-06-07 09:13:02 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:02 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:03 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:03 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:04 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:04 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:06 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:06 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:07 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:07 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:08 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:08 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:09 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:09 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:10 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:10 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:11 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:11 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:12 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:12 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:13 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:13 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:14 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:14 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:15 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:15 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:16 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:16 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:17 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:17 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:18 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:18 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:19 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:19 Route: Waiting for TUN/TAP interface to come up...
2024-06-07 09:13:21 TEST ROUTES: 0/0 succeeded len=-1 ret=0 a=0 u/d=down
2024-06-07 09:13:21 MANAGEMENT: >STATE:1717748001,ADD_ROUTES,,,,,,
2024-06-07 09:13:21 C:\WINDOWS\system32\route.exe ADD 196.203.216.154 MASK 255.2.
2024-06-07 09:13:21 Route addition via service succeeded
2024-06-07 09:13:21 C:\WINDOWS\system32\route.exe ADD 192.168.1.94 MASK 255.255.
2024-06-07 09:13:21 Warning: route gateway is not reachable on any active network
2024-06-07 09:13:21 C:\WINDOWS\system32\route.exe ADD 192.168.1.96 MASK 255.255.
2024-06-07 09:13:21 Warning: route gateway is not reachable on any active network
2024-06-07 09:13:21 C:\WINDOWS\system32\route.exe ADD 196.203.216.154 MASK 255.2.
2024-06-07 09:13:21 Route addition via service failed because route exists
SYSTEM ROUTING TABLE
0.0.0.0 0.0.0.0 172.18.12.254 p=0 i=8 t=4 pr=3 a=57161 h=0 m=35/0/0/0/0
127.0.0.0 255.0.0.0 127.0.0.1 p=0 i=1 t=3 pr=2 a=254154 h=0 m=331/0/0/0/0
127.0.0.1 255.255.255.255 127.0.0.1 p=0 i=1 t=3 pr=2 a=254154 h=0 m=331/0/0/0/0
127.255.255.255 255.255.255.255 127.0.0.1 p=0 i=1 t=3 pr=2 a=254154 h=0 m=331/0/0/0/0
169.254.0.0 255.255.0.0 169.254.129.0 p=0 i=12 t=3 pr=2 a=32 h=0 m=258/0/0/0/0
169.254.129.0 255.255.255.255 169.254.129.0 p=0 i=12 t=3 pr=2 a=32 h=0 m=258/0/0/0/0
169.254.255.255 255.255.255.255 169.254.129.0 p=0 i=12 t=3 pr=2 a=32 h=0 m=258/0/0/0/0
172.18.12.0 255.255.255.0 172.18.12.74 p=0 i=8 t=3 pr=2 a=57161 h=0 m=291/0/0/0/0
172.18.12.74 255.255.255.255 172.18.12.74 p=0 i=8 t=3 pr=2 a=57161 h=0 m=291/0/0/0/0
172.18.12.255 255.255.255.255 172.18.12.74 p=0 i=8 t=3 pr=2 a=57161 h=0 m=291/0/0/0/0
196.203.216.154 255.255.255.255 172.18.12.254 p=0 i=8 t=4 pr=3 a=0 h=0 m=291/0/0/0/0
224.0.0.0 240.0.0.0 127.0.0.1 p=0 i=1 t=3 pr=2 a=254154 h=0 m=331/0/0/0/0
224.0.0.0 240.0.0.0 172.18.12.74 p=0 i=8 t=3 pr=2 a=57166 h=0 m=291/0/0/0/0
224.0.0.0 240.0.0.0 169.254.129.0 p=0 i=12 t=3 pr=2 a=162 h=0 m=258/0/0/0/0
255.255.255.255 255.255.255.255 127.0.0.1 p=0 i=1 t=3 pr=2 a=254154 h=0 m=331/0/0/0/0
255.255.255.255 255.255.255.255 172.18.12.74 p=0 i=8 t=3 pr=2 a=57166 h=0 m=291/0/0/0/0
255.255.255.255 255.255.255.255 169.254.129.0 p=0 i=12 t=3 pr=2 a=162 h=0 m=258/0/0/0/0
SYSTEM ADAPTER LIST
Intel(R) Ethernet Connection I217-LM

```

Index = 8

GUID = {782E107E-DE9D-463A-BEB0-FAF4E431B472}

IP = 172.18.12.74/255.255.255.0

MAC = ec:b1:d7:60:66:61

GATEWAY = 172.18.12.254/255.255.255.255

DHCP SERV = 172.18.10.1/255.255.255.255

DHCP LEASE OBTAINED = 2024-06-06 17:20:39

DHCP LEASE EXPIRES = 1970-01-01 01:00:00

DNS SERV = 172.18.10.1/255.255.255.255 192.168.10.1/255.255.255.255

Sophos TAP Adapter

Index = 12

GUID = {D7D5C77B-305B-41E5-8A46-51C5747391CB}

IP = 169.254.129.0/255.255.0.0

MAC = 00:ff:d7:d5:c7:7b

GATEWAY = 0.0.0.0/255.255.255.255

DHCP SERV = 0.0.0.0/255.255.255.255

DHCP LEASE OBTAINED = 2024-06-07 09:13:21

DHCP LEASE EXPIRES = 1970-01-01 01:00:00

DNS SERV =

2024-06-07 09:13:21 Initialization Sequence Completed With Errors (see <http://openvpn.net>)

2024-06-07 09:13:21 MANAGEMENT: >STATE:1717748001,CONNECTED,ERROR,10.81.234.2,19